

economia e lavoro

Venerdì 8 giugno 2001

TITOLI DI STATO

Titolo	Quot.	Quot.	Quot.	Quot.
	Ultimo	Ultimo	Ultimo	Ultimo
BTP AG 01/11	99,50	99,20	BTP GE 95/05	115,370
BTP AG 3/3/01	111,230	111,270	BTP GE 97/02	110,120
BTP AG 9/4/04	110,980	110,760	BTP NV 00/03	101,270
BTP AG 09/03	100,700	100,570	BTP NV 96/26	112,160
BTP AG 14/04	110,910	110,980	BTP NV 99/02	105,240
BTP AG 19/02	119,890	119,930	BTP NV 97/27	107,230
BTP AG 99/02	98,980	98,980	BTP NV 98/01	99,670
BTP AG 99/04	96,730	96,770	BTP NV 98/26	110,230
BTP DC 00/05	101,930	102,020	BTP NV 99/09	93,060
BTP DC 93/03	0,000	0,000	BTP NV 99/10	101,180
BTP DC 93/23	140,000	140,000	BTP DC 00/03	101,870
BTP FB 01/04	101,290	101,310	BTP DC 93/03	98,540
BTP FB 96/06	119,300	119,300	BTP MG 00/31	100,360
BTP FB 97/07	108,790	108,810	BTP MG 92/02	106,260
BTP FB 98/03	101,050	101,010	BTP MG 97/02	101,780
BTP FB 99/02	99,140	99,140	BTP MG 99/03	100,730
BTP FB 99/04	96,990	97,000	BTP MG 99/09	99,450
BTP GE 00/03	100,290	100,290	BTP MG 00/01	100,180
BTP GE 92/02	103,730	103,700	BTP MG 01/04	100,040
BTP GE 93/03	111,130	111,150	BTP MG 01/06	99,830
BTP GE 94/04	109,560	109,620	BTP MG 93/03	111,430

DATI A CURA DI RADIOCOR

Titolo	Quot.	Quot.	Titolo	Quot.	Quot.
	Ultimo	Ultimo		Ultimo	Ultimo
BTP MZ 97/02	101,390	101,390	CCT AG 94/01	100,060	100,060
BTP MZ 93/23	138,110	139,090	CCT AG 95/02	100,530	100,530
BTP NV 96/06	113,310	113,410	CCT AP 01/08	100,420	100,430
BTP NV 96/26	116,920	117,410	CCT MZ 96/26	100,210	100,210
BTP NV 99/02	105,240	105,290	CCT AP 96/03	100,830	100,830
BTP NV 97/27	107,230	107,600	CCT DC 93/03	0,000	0,000
BTP NV 98/01	99,670	99,680	CCT DC 94/01	100,220	100,210
BTP NV 98/26	110,230	110,300	CCT DC 95/02	100,750	100,770
BTP NV 99/09	93,060	93,210	CCT DC 99/06	100,460	100,470
BTP NV 99/10	101,180	101,180	CCT FB 95/02	100,200	100,180
BTP DC 00/03	101,870	101,850	CCT FB 95/03	100,780	100,770
BTP DC 93/03	98,540	98,580	CCT GE 95/03	100,700	100,650
BTP DC 93/23	140,000	140,000	CCT GE 96/06	102,410	102,350
BTP DC 93/03	0,000	0,000	CCT GE 97/04	100,450	100,420
BTP DC 93/23	140,000	140,000	CCT GE 97/07	101,900	101,820
BTP DC 93/03	0,000	0,000	CCT GE 99/06	100,100	101,850
BTP DC 93/23	140,000	140,000	CCT LG 99/02	100,450	100,450
BTP DC 93/03	0,000	0,000	CCT LG 99/03	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/04	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/05	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/06	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/07	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/08	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/09	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/10	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/11	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/12	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/13	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/14	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/15	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/16	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/17	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/18	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/19	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/20	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/21	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/22	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/23	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/24	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/25	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/26	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/27	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/28	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/29	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/30	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/31	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/32	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/33	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/34	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/35	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/36	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/37	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/38	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/39	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/40	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/41	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/42	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/43	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/44	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/45	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/46	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/47	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/48	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/49	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/50	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/51	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/52	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/53	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/54	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/55	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/56	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/57	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/58	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/59	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/60	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/61	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/62	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/63	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/64	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/65	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/66	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/67	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/68	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/69	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/70	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/71	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/72	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/73	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/74	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/75	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/76	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/77	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/78	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/79	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/80	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/81	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/82	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/83	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/84	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/85	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/86	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/87	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/88	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/89	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/90	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/91	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/92	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/93	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/94	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/95	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/96	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/97	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/98	100,290	100,290
BTP DC 93/03	0,000	0,000	CCT LG 99/99	100,290	100,290
BTP DC 93/23	140,000	140,000	CCT LG 99/100	100,290	100,290

DATI A CURA DI RADIOCOR

Titolo	Quot.	Quot.	Titolo	Quot.	Quot.
	Ultimo	Ultimo		Ultimo	Ultimo
CCT AG 94/01	100,060	100,060	CCT MG 97/04	100,550	100,550
CCT AG 95/02	100,530	100,530	CCT MG 98/05	100,640	100,650
CCT AP 01/08	100,420	100,430	CCT MG 97/04	100,480</	