

# economia e lavoro

venerdì 2 novembre 2001

## TITOLI DI STATO

TITOLO	Quot. Ultimo	Quot. Prec.	TITOLO	Quot. Ultimo	Quot. Prec.
BTP AG 01/11	105.010	104.140	BTP GE 92/02	100.870	100.880
BTP AG 93/03	111.320	111.320	BTP MG 93/03	105.580	105.580
BTP AG 94/04	112.760	112.690	BTP GE 94/04	110.670	110.670
BTP AP 00/03	102.220	102.220	BTP GE 95/05	117.170	117.170
BTP AP 94/04	111.650	111.650	BTP GE 97/02	100.390	100.390
BTP AP 95/05	121.580	121.580	BTP MG 00/03	102.840	102.840
BTP AP 99/02	0.000	99.890	BTP MG 93/03	111.610	111.610
BTP AP 99/04	97.170	99.890	BTP MG 95/02	99.850	99.850
BTP DC 00/05	105.640	105.450	BTP LG 00/05	103.600	103.600
BTP DC 93/03	0.000	100.000	BTP LG 01/04	103.720	103.720
BTP DC 93/23	0.000	100.000	BTP LG 97/07	113.300	113.240
BTP FB 01/04	103.570	103.570	BTP LG 98/03	0.000	102.260
BTP FB 01/12	102.800	102.800	BTP LG 99/04	101.480	101.480
BTP FB 96/06	121.880	121.880	BTP MG 92/02	103.800	103.800
BTP FB 97/07	112.800	112.800	BTP MG 97/02	101.500	101.500
BTP FB 99/03	102.280	102.280	BTP MG 98/03	100.200	100.200
BTP FB 99/02	99.990	99.990	BTP MG 98/08	104.670	104.160
BTP GE 90/03	101.590	101.590	BTP MG 99/09	100.300	100.300
			BTP MG 99/31	121.010	109.290

## DATI A CURA DI RADIOCOR

TITOLO	Quot. Ultimo	Quot. Prec.	TITOLO	Quot. Ultimo	Quot. Prec.
BTP MG 01/04	102.580	102.580	BTP ST 97/02	102.190	102.190
BTP MG 95/02	103.570	103.570			
BTP MG 95/03	102.500	102.200			
BTP MG 97/02	100.890	100.890			
BTP MG 97/03	151.150	148.280			
BTP MG 96/06	117.010	116.710			
BTP MG 97/02	128.010	125.990			
BTP MG 97/07	116.810	115.870			
BTP MG 98/03	100.200	98.400			
BTP MG 98/09	98.720	98.140			
BTP MG 99/01	107.020	106.210			
BTP OT 00/03	103.730	103.730			
BTP OT 01/04	101.530	101.400			
BTP OT 03/03	110.510	110.510			
BTP OT 98/03	101.430	101.400			
BTP ST 92/02	106.600	106.600			
BTP ST 95/05	123.380	123.790			
BTP ST 97/02	102.190	102.190			

TITOLO	Quot. Ultimo	Quot. Prec.	TITOLO	Quot. Ultimo	Quot. Prec.
CCT LG 96/05	102.070	100.820	CCT LG 96/05	102.070	100.820
CCT MG 96/03	100.830	100.720	CCT AG 95/02	100.720	100.720
CCT MG 97/04	100.600	100.580	CCT AG 96/02	100.570	100.580
CCT MG 98/05	100.660	100.650	CCT AG 95/03	100.570	100.570
CCT MG 97/04	100.710	100.730	CCT AG 96/03	100.130	100.130
CCT NV 99/03	100.550	100.550	CCT AG 95/02	100.770	100.770
CCT NV 96/03	100.480	100.480	CCT DC 93/03	0.000	0.000
CCT NV 95/02	100.590	100.590	CCT DC 94/01	99.970	99.990
CCT NV 98/05	100.730	100.730	CCT DC 95/02	100.620	100.630
CCT NV 98/03	100.720	100.720	CCT DC 96/02	100.570	100.570
CCT NV 98/01	100.720	100.720	CCT DC 97/03	100.680	100.680
CCT NV 98/01	100.720	100.720	CCT DC 98/03	100.710	100.710
CCT NV 98/01	100.720	100.720	CCT DC 99/03	100.520	100.520
CCT NV 98/01	100.720	100.720	CCT DC 00/03	95.109	95.510
CCT NV 98/01	100.720	100.720	CCT DC 01/02	97.701	97.850
CCT NV 98/01	100.720	100.720	CCT DC 02/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 03/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 04/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 05/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 06/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 07/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 08/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 09/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 10/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 11/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 12/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 13/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 14/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 15/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 16/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 17/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 18/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 19/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 20/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 21/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 22/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 23/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 24/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 25/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 26/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 27/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 28/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 29/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 30/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 31/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 32/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 33/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 34/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 35/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 36/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 37/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 38/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 39/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 40/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 41/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 42/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 43/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 44/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 45/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 46/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 47/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 48/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 49/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 50/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 51/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 52/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 53/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 54/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 55/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 56/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 57/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 58/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 59/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 60/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 61/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 62/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 63/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 64/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 65/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 66/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 67/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 68/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 69/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 70/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 71/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 72/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 73/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 74/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 75/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 76/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 77/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 78/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 79/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 80/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 81/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 82/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 83/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 84/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 85/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 86/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 87/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 88/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 89/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 90/02	97.971	97.850
CCT NV 98/01	100.720	100.720	CCT DC 91/02	97.971	97.850
CCT NV 98/01	100.720				